

TREAT

HOW TO USE HEDRIN® ONCE:

- Hedrin® ONCE is suitable for adults and children over 6 months.
- Cover the shoulders with a towel.
- **SHAKE THE BOTTLE WELL BEFORE EACH USE.**
- Apply sufficient gel evenly over DRY hair, to ensure that the scalp and hair are fully covered and the hair is SATURATED.
- Work into the hair with the fingers or an ordinary comb spreading the gel thoroughly and evenly from the roots to tips.
- Leave on the hair for at least 15 minutes (or longer if more convenient).
- Apply shampoo directly to the entire surface of the hair without first wetting it, shampoo thoroughly then rinse with water. Repeat the process, then apply conditioner, rinse and dry. Hedrin® Once Liquid Gel contains anti-foaming ingredients so the shampoo will not lather readily. If necessary, repeat the whole procedure remembering to apply shampoo directly to dry hair.
- There is no need for laborious combing out after use.

COMPLETE

- Check that all head lice have gone within 2-3 days of the application to complete the treatment.
- Continue to check for head lice on a regular, weekly basis.

KEY ATTRIBUTES OF HEDRIN® ONCE

	USE ONCE	COMBING NECESSARY	100% EFFECTIVE	PHARMACY ONLY
Hedrin® ONCE Spray and Gel	YES	NO	YES	YES
Lyclear Spray and Gel	NO	YES	NO*	NO
Full Marks Spray	NO	YES	NO**	NO

*Lyclear Spray and Gel, 26% of people require a second application to remove all eggs.

** Full Marks Spray, Only 82% effective - two applications may be necessary.

USE YOUR HEAD WITH HEDRIN

- ✓ Hedrin® Once Liquid Gel contains dimeticone and has a physical rather than chemical mode of action and so resistance is extremely unlikely to develop.
- ✓ It kills lice effectively, without the need for pesticides, by smothering the insects and disrupting their ability to manage water.
- ✓ It is a pesticide-free formula and as such, is kind to the hair and scalp.
- ✓ New clinical trial data shows that Hedrin® Once Liquid Gel kills 100% of lice and eggs with just one 15 minute treatment.¹
- ✓ For further information visit www.hedrin.ie

100% EFFECTIVE
KILLS HEAD LICE & EGGS



1: http://www.icp4.org/Presentations/55.Burgess.Designing_a_treatment.pdf
Presented at the **Fourth International Conference on Phthiraptera (ICP4)**
June 13-18 2010, Urgup, Cappadocia, Turkey.



Distributed by ClonMedica, the OTC Division of Clonmel Healthcare Ltd, Waterford Road, Clonmel, Co. Tipperary. Manufactured by Thornton & Ross Ltd, Linthwaite, Huddersfield HD7 5QH, UK



ONCE!

ADVICE FOR PARENTS & CARERS ON THE TREATMENT

HEAD LICE

100% EFFECTIVE
KILLS HEAD LICE & EGGS





USE YOUR HEAD USE YOUR HEDRIN

Hedrin ONCE 15min

PHARMACY ONLY

FACT OR FICTION

There are many myths surrounding head lice that still exist, see below some of the more common misconceptions and the reality.

MYTH 	FACT 
"Head lice can jump from one head to another"	Head lice can only be passed by direct head-to-head contact – they cannot jump, fly, hop or swim.
"Head lice can be caught by sharing things like hairbrushes, towels or bedding"	Head lice only survive on heads, dying quickly away from their food source. Adults and nymphs can only survive for 8-24 hours without feeding or they become too dehydrated to survive. They can only be caught from human contact.
"Head lice prefer clean hair"	Having head lice has nothing to do with personal hygiene, head lice can live on all types of hair and no preference exists between clean or dirty hair.
"Shaving a child's head is the best way to get rid of head lice"	Lice like to live close to the scalp and can survive on hair as short as 2mm long, so cutting hair short won't necessarily help and can be very traumatic for the child.
"Animals can carry and pass on head lice"	Head lice can only live on human beings, people can't catch them from animals.
"Head lice are only caught from other children at school"	A lot of head lice infestations are caught from family and friends in the home and local community, not just at school - parents typically start to worry about lice when children go back to school so they are more likely to identify an infestation and presume the lice were caught there.

CHECK



CHECKING FOR HEAD LICE

It's advisable to use a detector comb on all members of the family at least once a week, especially if you have school age children

- Choose a comfortable well-lit area and use a specially toothed plastic detection comb.
- Hair can either be dry or wet (use water or conditioner). Comb through the hair with an ordinary comb to get rid of any tangles.
- You might find a magnifying glass helpful to check that what you have found is an insect rather than a flake of skin or dirt.
- If you are using conditioner the comb may need rinsing during checking.
- After use wash the comb with clean soapy water and then thoroughly rinse and dry before storing in a dry place.
- Treatment should only be undertaken if live lice are found. If nits, (empty egg shells) but no lice are found after thorough checking then these are likely to be from an old infestation which is no longer current and treatment is not necessary.



USE YOUR HEAD USE YOUR HEDRIN **ONCE** ^{15min}

CHECK

COMBING THE HAIR



1. Divide the hair into sections.
2. Gently insert the detection comb at the bottom of a section of hair with the comb almost parallel with the scalp so that the specially designed rounded ends of its teeth will glide over the scalp without scratching.
3. Comb lightly outwards for the whole length of the hair.
4. After each stroke wipe the comb with a tissue and examine any debris found.
5. Repeat this process over the whole scalp paying particular attention to the areas behind the ears and under the fringe.

HEAD LICE DETECTION COMB



Hedrin's head lice detection comb has been especially designed for detecting lice. It has been clinically tested and is designed to ensure that it is accurate and comfortable to use.